



2.5W P35 E14 LED Candle Light

Note:

- 1. Aluminum body (Silver and Golden Color)
- E14 base.

Features

- 1. Similar to conventional-shape 10W candle light.
- 2. The special optical design gives a beautiful sparkling effect.
- 3. Instant-on, soft white light without UV/IR.
- 4. Non-glare and uniform performance.
- 5. Retrofit and compatible with most existing fixtures with E14 holder for easy installation
- 6. 2.5 Watt LED Bulb can achieve directional light output equal to 10 Watt incandescent bulb consume 70% less power.
- 7. LED lamps contain absolutely no hazardous materials, making them safe for any room and convenient to recycle.

Specifications

Model	BL56B-W03A	BL56B-W03B		
Voltage Range	100~240 Vac	100~240 Vac		
Frequency Range	50/60 HZ	50/60 HZ		
Power Consumption	2.5W (typ.)	2.5W (typ.)		
Color	Warm White	Warm White		
Color Temperature	2800 (typ.)	2800 (typ.)		
Luminous Flux	120 lm (typ.)	120 lm (typ.)		
Color Rendering Index	>80	>80		
LED Lifetime (Decay to 70%)	>40,000hrs	>40,000hrs		
Illuminance at 1m	48 lux	48 lux		
Field Angle	180°	180°		
Body Material	Aluminum (Silver Color)	Aluminum (Golden Color)		
Operating Temperature	-20°C ~+40°C	-20 °C ~+40 °C		
Operating Humidity	20~80% RH	20~80% RH		
Ambient Temp. & Humidity	-30℃~+70℃ 10~95% RH	-30℃~+70℃ 10~95% RH		
Dimensions	35mm×110mm (D×H)	35mm×110mm (D×H)		
Weight	51g	51g		




Product Nomenclature


BL	<u>5</u>	<u>6</u>	<u>B</u>		<u>W</u>	<u>03</u>	<u>A</u>
1	2	3	4	-	5	6	7

1. Product Type	BL: Bulb		
2. Base Type	3: E17		
2. 2000 1900	5: E14		
3. Shape Version	6: P35 Candle Light		
4. Appearance Version	B: Second version		
5. Emitting Color	C: Cool White		
5. Efficiency Color	W: Warm White		
6. Power Consumption	03: 2~3W		
7 Appearance Color	A: Silver		
7. Appearance Color	B: Golden		

Photometry









Packing

