




LED Reading Lamp



Note :

- Tolerances unless otherwise mentioned $\pm 5\text{mm}$

Features

1. Modern appearance
2. Four colors (Pink, Orange, Green, White and Gray Metallic) of lamp can be choose.
3. Different plug types (North America, Britain, Australia, Europe, and China) of adaptor can be choose.
4. Left/Right adjustable, can meet different angle lighting requirement.
5. Smart touch control and five gradations dimming.
6. Non-glare and uniform performance.
7. Socket, easy to connect the power.
8. Flexible metallic conduct design, change the desk light head more convenience;
9. LED proprietary technology delivers uniform, high-quality, white light.

Specifications



Model	RL01-C09xx
Voltage Range	100~240 VAC
Frequency	50/60 HZ
Power Consumption	9.0W (typ.)
Touch dimming (5-step)	100%=>75%=>50%=>30%=>0%
Color Temperature	5300K (typ.)
Luminous Flux (Power Max.)	650 Lm (typ.)
Color Rendering Index	80 (typ.)
LED Lifetime (Decay to 70%)	>40,000hrs
Illuminance at 38cm (Dimming 100%.)	1400 Lux (typ.)
Beam Angle	100°
Fixture Material	Aluminum
Operating Temperature	-10°C ~+40°C
Operating Humidity	20~80% RH
Storage Temp. & Humidity	-20°C ~+60°C 0~90% RH
Dimensions	380mm×150mm×430mm (L x W x H)
Weight	1.3 kg

Product Nomenclature

<u>RL</u>	<u>01</u>	-	<u>C</u>	<u>09</u>	<u>I</u>	<u>U</u>
1	2		3	4	5	6

1. Reading Light	RL
2. Appearance Version	01: First Version 02: Second Version
3. Emitting Color	C: Cool White N: Neutral White W: Warm White
4 Power Consumption	09: 9W
5. Appearance Color	G: Green P: Pink S: Gray Metallic T: Orange W White
6. Plug Type	A: Australia B: Britain C: China E: Europe U: North America

Photometry



Packing

